

SECTION 101 GENERAL INFORMATION, DEFINITIONS, AND TERMS

101.1 General

- (1) The department defines the contractor and department responsibilities within the contract documents in one of the following ways:
 1. Taken in context, the contract language makes the responsible party clear.
 2. Direct commands written to the contractor in the active voice-imperative mood.
 3. Using "shall" to indicate contractor responsibility and "will" to indicate department responsibility. For example, "Aggregates shall be stored in stockpiles" or "Sampling and testing will be in accordance with the following AASHTO methods."
- (2) If the contractor thinks the responsibility for an action under the contract is unclear or given to the wrong party, the contractor shall seek clarification from the department.
- (3) These standard specifications for highway and structure construction are written to the bidder before award of the contract and to the contractor after award of the contract. The sentences directing the contractor to perform work are written in the active voice-imperative mood. These contractor directions are written as commands. For example, a requirement to provide cold-weather protection would be expressed as, "Provide cold-weather protection for concrete," rather than "The contractor shall provide cold-weather protection for concrete. In the imperative mood, the subject "the bidder" or "the contractor" is understood.
- (4) Requirements to be performed by others are written in the active voice. Sentences written in the active voice identify the party responsible for performing the action. For example, "The engineer will determine the density of the compacted material. "Certain requirements of the contractor may also be written in the active voice, rather than the active voice-imperative mood, if the sentence includes requirements for others in addition to the contractor. For example, a sentence that involves action by both the contractor and the engineer would be expressed, "After the contractor provides initial written notice, the engineer will revise the contract as specified in 104.2."
- (5) Sentences that define terms, describe a product or desired result, or describe a condition that may exist are written in neither the active voice nor the imperative mood. These types of sentences that describe a condition use verbs requiring no action. For example, "The characteristics of the soils actually encountered in the subgrade may affect the quality of cement and depth of treatment necessary."
- (6) The document contains the following components identified by number and organized in a hierarchy as follows:
 1. Parts, for example "Earthwork" referred to as: part 2.
 2. Sections, for example "Bidding Requirements and Conditions" referred to as: section 102.
 3. Subsections, potentially containing subordinate subsections, for example "Issuing Bidding Proposals" referred to as: 102.3 or "General" referred to as: 102.3.1.
 4. Paragraphs, for example paragraph one of 102.3.2 referred to as: 102.3.2(1).
 5. Numbered items, for example item one of 102.3.2(1) referred to as: item one of 102.3.2(1).
- (7) In addition to identifying numbers; parts, sections, and subsections have descriptive titles. These titles provide reference only, not interpretation. If a subsection contains a subordinate subsection entitled "General," the provisions of that general subsection apply to all subsections in the parent subsection.
- (8) Bid item names are capitalized, as are proper names and acronyms. Capitalization of other words not beginning a sentence is avoided.

Remove dual dimensioning from entire specification. Conversion factors are provided in the appendix.

101.2 References and Acronyms

- (1) References made within these specifications use the conventions specified in paragraph 6 of subsection 101.1. For example, 101.1(6) is used to make the reference in the previous sentence. References to parts or sections include the words "part" or "section", references to subsections or paragraphs use only the identifying numbers, and references to numbered items use the words "item number ___ of " and the identifying paragraph number. Occasionally a subsection will contain a reference to itself to avoid possible confusion due to the nesting of subsections. Imprecise references like: "in this subsection," "above," "below," "elsewhere in the contract," etc. are eliminated.

- (2) Unless specified by year or date, cited publications refer to the most recent issue, including interim publications, in effect on the bid closing date.
- (3) The department identifies acronyms used throughout the contract here in 101.2. The department may also identify acronyms, used in a more limited scope, within individual parts of the contract. Interpret acronyms used throughout the contract as follows:

AASHTO	American Association of State Highway and Transportation Officials
AISI	American Iron and Steel Institute
ANSI	American National Standards Institute, Inc.
ASTM	American Society for Testing and Materials
ATMS	Advanced Traffic Management Systems
ATSSA	American Traffic Safety Services Association
AWPA	American Wood Preservers' Association
AWG	American Wire Gauge
AWS	American Welding Society
AWWA	American Water Works Association
CMM	The department's Construction and Materials Manual
EBS	Excavation below subgrade.
ECIP	Erosion Control Implementation Plan
EIA/TIA	Electronic Industry Association/Telecommunications Industry Association
FHWA	Federal Highway Administration
FOA	Fiber Optic Association
FTMS	Freeway Traffic Management System
HTCP	The department's Highway Technician Certification Program
ACT	An HTCP assistant certified technician
IES	Illuminating Engineering Society
IPCEA-NEMA	Insulated Power Cable Engineer's Association - National Electrical Manufacturer's Association
IPS	Iron Pipe Size
ITE	Institute of Transportation Engineers
ITS	Intelligent Transportation Systems
MIL	Military Specification
MUTCD	The Wisconsin Manual on Uniform Traffic Control Devices for Streets and Highways
NACE	National Association of Corrosion Engineers
NIST	National Institute of Standards and Technology
NCHRP	National Cooperative Highway Research Program
NEC	National Electrical Code
NEMA	National Electrical Manufacturers Association
NTPEP	AASHTO's National Transportation Product Evaluation Program
OSHA	Occupational Safety and Health Administration
QMP	The department's Quality Management Program
CA	Contractor Assurance
QC	Quality Control
QV	Quality Verification

IA	Independent Assurance
SAE	Society of Automotive Engineers
SI	International System of Units
SSPC	Steel Structures Painting Council
UL	Underwriters' Laboratory
USACE	United States Army Corps of Engineers
WDNR	Wisconsin Department of Natural Resources
WEC	Wisconsin Electrical Code
WSEC	Wisconsin State Electrical Code, consisting of chapter comm. 16 of the WEC combined with the NEC

101.3 Definitions

- (1) The department defines terms used throughout the contract here in 101.3. The department may define, or redefine, terms within individual parts of the contract if using those terms in a more limited scope. Interpret these terms, used throughout the contract, as follows:

Addenda	Revisions to the plans or the proposal form developed before opening of proposals.
Adjustment	A modification in the contract price or contract time as specified in 108.10 or 109.4 .
Adverse weather day	For calendar day or completion date contracts, a day the contractor is scheduled to work when weather, or job conditions caused by recent weather, cause the contractor to lose 4 or more hours of work on the controlling item.
Advertisement	See also notice to contractors
Affiliated	Having a relationship where one business concern or individual directly or indirectly controls or can control the others.
Auxiliary lane	The portion of the roadway adjoining the traveled way for parking, change of speed, or for other purposes supplementary to through traffic movement.
Award	The department's acceptance of a bid.
Base	The layer or layers of specified or selected material of designed thickness placed on a subbase or subgrade to support a surface course.
Bid	See proposal
Bidder	An individual, partnership, joint venture, corporation, limited liability company, limited liability partnership, or a combination of any or all jointly, submitting a proposal (bid) for the work advertised in the invitation for bids, acting directly or through a duly authorized representative.
Bidding proposal	The department-approved form the department requires bids to be prepared and submitted for the work on. The bidding proposal is further described in 102.2 .
Bridge	A structure having a span of more than 20 feet from face to face of abutments or end bents, measured along the centerline of the roadway, spanning a water course or other opening or obstruction, such as a highway or railroad, including the substructure, superstructure, and trestle work approaches.
Bureau	The department's bureau of project development. Language specifically identifies other department bureaus.
Business day	Every day the calendar shows, excluding Saturdays, Sundays, and department-specified holidays.
Calendar day	Every day the calendar shows, including Saturdays, Sundays, and department-specified holidays.

Certificate of compliance	A document, provided by a manufacturer, producer, or supplier of a product, stating that the product as furnished to the contractor complies with the pertinent specifications and contract requirements.
Certified report of test or analysis	A certified test report, provided by a manufacturer, producer, or supplier of a product, indicating that actual results of tests or analyses comply with the elements of the specification requirements.
Completion date	The calendar date shown in the proposal on or before which the work contemplated under the contract shall be completed.
Construction limits	The limits of grading or other work generally defined by slope stakes offset from the actual slope intercepts or limits of the work.
Consulting firm	The individual, partnership, joint ventures, corporation, or agency contracted by the department to act directly or as a duly authorized construction representative providing services for the department.
Contract	<p>The written agreement between the department and the contractor setting forth the obligations of the parties to the contract, including, but not limited to, performance of the work, furnishing of labor and materials, and basis of payment.</p> <p>The contract includes the notice to contractors, proposal, contract form, contract bond, standard specifications, special provisions, addenda, general plans, detailed plans, notice to proceed, and contract change orders and agreements required to complete the construction of the work in an acceptable manner, including authorized extensions, all of which constitute one instrument.</p>
Contract bond	The department-approved form of security, executed by the contractor and the contractor's surety or sureties, guaranteeing the performance of the contract work, completion of the contract requirements, and the payment of claims as provided in 779.14 of the Wisconsin statutes.
Contract change order	A written order or authorization the engineer executes covering work not otherwise provided for in the contract, revisions in or amendments to the contract, or conditions specifically prescribed in the specifications as requiring contract change orders. The change order document becomes a part of the contract when executed by the department.
Contract modification	<p>Any change to the contract made after it is executed, including but not limited to, the following:</p> <ul style="list-style-type: none"> - A contract change order. - A supplemental contract agreement. - An administrative change adding a non-bid item. - A general administrative change.
Contract period	The period from the specified date of commencing work to the date that the specified number of calendar or working days has elapsed, both dates inclusive, or from the specified date of commencing work to the specified completion date, both dates inclusive; as specified in the contract.
Contract revision	See: contract modification
Contract time	The number of calendar or working days shown in the proposal representing the time allowed for the completion of the work contemplated in the contract.
Contractor	The individual, partnership, joint venture, corporation, limited liability company, limited liability partnership, or agency undertaking the performance of the work under the terms of the contract and acting directly or through a duly authorized representative.
Controlling item of work	An activity on the project schedule, that if delayed, delays completion of the project.
Culvert	A structure not classified as a bridge that provides an opening under a roadway.
Department	The Wisconsin Department of Transportation.

Detour	An existing, permanent road designated as a temporary route to carry vehicular traffic around a section of a highway closed to through traffic.
Divided highway	A highway with separate roadways for traffic in opposite directions.
Engineer	The secretary of the department of transportation or the secretary's authorized representative limited by the particular duties assigned to the representative.
Equipment	Machinery and articles necessary for the proper construction and acceptable completion of the work. This includes the supplies, tools, and apparatus for upkeep and maintenance of the equipment.
Erosion control implementation plan	The erosion control implementation plan, or ECIP, as required under Trans 401 of the Wisconsin administrative code.
Extra work	All work performed by the contractor, with approval of the engineer, that does not appear in the proposal or contract as a specific bid item accompanied by a unit price, and that is not included under the price bid for other bid items in the contract. Extra work may also consist of additions to, or changes in, design of contract bid items or portions of contract bid items, if additions are wholly disassociated from or outside the scope of work in the contract, and if the work caused by these additions or changes must be performed under conditions or in a manner materially different from the conditions and manner existent for contract bid items under the original scope of work.
Force account	A method of payment based on the cost of labor, equipment, materials furnished, and consideration for overhead and profit as specified in 109.4.5 .
Frontage road or street	A local road or street auxiliary to and located along the side of an arterial highway for service to abutting property and adjoining areas and for control of access.

Revise 101.3(1) to define a government entity.

Government entity	Any unit of federal, state, county, municipal, or town government, including all entities described in the definition of "municipality" in 16.70(8) of the Wisconsin statutes. Where a project is constructed across state boundaries, it includes those same entities from the adjoining state or states.	
Hazardous substance	A substance or combination of substances, including waste of a solid, semisolid, liquid, or gaseous form, that may cause or significantly contribute to an increase in mortality or an increase in serious, irreversible, or incapacitating, reversible illness, or that may pose a substantial present or potential hazard to human health or the environment.	
Highway separation	A structure carrying highway traffic over or under another highway or street.	
Highway, street, or road	A public way for the purpose of vehicular travel, including the entire area within the right-of-way.	
Holidays	The following days are department-specified holidays for use in determination of working days:	
	New Year's day	Thanksgiving day
	Martin Luther King Jr. day	Christmas Eve day
	Memorial day	Christmas day
	Independence day	New Year's Eve day
	Labor day	
Inspector	The authorized representative of the engineer assigned to inspect the work or materials.	
Interchange	A highway separation with access connections between the highways.	
Laboratory	The materials testing laboratory of the department or other testing laboratory the engineer designates.	
Local road or street	A street or road used primarily for access to residences, businesses, or other abutting property.	

Local traffic	Passage of vehicles, people, and goods originating within, or having a destination on, the portion of the highway closed to through traffic as specified in the contract.
Major and minor bid items	A major bid item is a bid item whose total cost, determined by multiplying the bidding schedule quantity and the contract unit price, is equal to or greater than 5 percent of the total amount of the original contract. Other bid items are minor bid items. A minor bid item, when its quantity is increased, becomes a major bid item if it meets this 5 percent criterion.
Materially unbalanced bid	A bid that generates a reasonable doubt that award to the bidder submitting a mathematically unbalanced bid will result in the lowest ultimate cost to the department.
Mathematically unbalanced bid	A bid containing lump sum or unit price bid items that do not reflect reasonable anticipated actual costs of labor, equipment, materials, plus a reasonable proportionate share of the bidder's anticipated profit, overhead costs, and other indirect costs.
Materials	Substances specified for use in the construction of the work. See also: new material, reclaimed asphaltic pavement material, recovered material, recycled material, and special waste.
Median	The portion of a divided highway separating the traveled ways for traffic in opposite directions.
New material	Material not used for another purpose before incorporation into the work.
Notice to contractors	The advertisement for proposals for work or materials on which bids are required. The advertisement will indicate with reasonable accuracy the quantity and location of the work to be done, or the character and quantity of the material to be furnished, and the time and place of submitting and opening the proposals.
Notice to proceed	A written notice from the engineer to the contractor of the time period within which the prosecution of the work shall begin.
Pavement structure	The combination of subbase, base, and surface course placed on a subgrade to support the traffic load and distribute it to the roadbed.
Plans	The department-approved plans, profiles, typical cross-sections, working drawings, and supplemental drawings that show the location, character, dimensions, and details of the work to be done.
Plant names and labels	The plant names and labels used in the nomenclature references listed in the current edition of the American Standard for Nursery Stock.
Project	The designated physical area together with improvements to be constructed under the contract.
Project engineer	The authorized representative of the engineer having direct supervision of the administration of the contract.
Proposal	The written offer of the bidder, submitted on the prescribed proposal form, to perform the work at the prices quoted by the bidder; also commonly known as the "bid."
Proposal guaranty	The security furnished with a bid to guarantee that the bidder will enter into the contract if the bid is accepted.
Quality management program	The department's specifications defining both department and contractor responsibilities for assuring quality construction. The specifications provide for the following:
Contractor assurance	Optional contractor sampling and testing to assure the accuracy of the QC test results.
Quality control	Required contractor sampling and testing the department uses to determine specification conformance.
Quality verification	Department sampling and testing the department uses to validate the quality of the final product.

Independent assurance	Activities the department uses to evaluate the QC and QV sampling and testing procedures.
Dispute resolution	Procedures the department uses to resolve disputes over conflicting test results for nonconforming work.
Reclaimed asphaltic pavement material	A recovered material from existing asphaltic pavement.
Recovered material	A product recovered from solid waste in a form identical to the original form, for a use that is the same or similar to the original use.
Recycled material	A product manufactured from previously used products.
Region	The department's transportation region office.
Review panel	The department's claims review panel.
Responsible bidder	A bidder determined by the department to possess the ability to perform the contract work and complete the contract requirements.
Right-of-way	Land, property, or interest in land or property acquired for or devoted to transportation purposes.
Roadbed	The graded portion of a highway, within top slopes and side slopes, prepared as a foundation for the pavement structure and shoulders.
Roadside	The area adjoining the outer edge of the roadway. Areas between the roadways of a divided highway may also be considered roadside.
Roadway	The portion of a highway within the limits of construction. A divided highway has 2 or more roadways.
Roadway foundation	The area underlying the proposed roadway within the limits of assumed one-to-one slopes extending outward and downward from the subgrade shoulder points.
Schedule of items	The prepared schedule, included as a part of the proposal form, containing the estimated quantities of the pay items for which unit bid prices are invited.
Secretary	The secretary of the Wisconsin Department of Transportation.
Semi-final estimate	A tentative final estimate indicating the engineer has measured and reported all quantities. The department prepares and submits a semi-final estimate for the contractor's review before issuing a final estimate.
SI metric	The International System of Units for metric measure.
Shoulders	The portions of the roadway contiguous with the traveled way for accommodation of stopped vehicles, emergency use, and lateral support of base and surface courses.
Shop drawings	Stress sheets, working drawings, erection plans, falsework plans, framework plans, cofferdam plans, bending diagrams for reinforcing steel, or other supplementary plans, computations, or similar data that the contractor is required to submit to the engineer.
Sidewalk	The portion of the roadway constructed primarily for the use of pedestrians.
Special provisions	Written directions and requirements applicable to a specific project and not otherwise thoroughly or satisfactorily detailed or prescribed in the standard specifications or supplemental specifications.
Special waste	Solid waste characterized for beneficial use in public works projects by the WDNR under section 895.58 of the Wisconsin statutes.
Specifications	Written directions, provisions, and requirements contained in the standard specifications or special provisions, together with written agreements and documents referenced in the contract, pertaining to the method or manner of performing the work, the quantities of work, and the quality of materials to be furnished under the contract; as made part of the contract and contained in or referenced in the proposal. See also: special provisions and standard specifications.

Stabilization	Modification of soils or aggregates by incorporating materials that will increase load bearing capacity, firmness and resistance to weathering or displacement.
Standard specifications	Written directions and requirements approved for general application and repetitive use as contained herein for highway and structures construction and for administration of the contract.
State	The state of Wisconsin.
Subbase	The layer or layers of specified or selected material of designed thickness placed on a subgrade to support base.
Subcontractor	The individual, partnership, corporation, limited liability company, or joint venture to which the contractor, with the department's written consent, sublets part of the contract.
Subgrade	The top surface of a roadbed upon which the pavement structure and shoulders are constructed.
Substructure	All of the bridge below the bridge seats or below the tops of the caps of piling or framed trestles, including the wing walls, backwalls, and parapets of abutments.
Superintendent	The contractor's authorized representative in responsible charge of the work.
Superstructure	All of the bridge above the bridge seats or above the tops of caps of piling or framed trestles, including flooring, but excluding wing walls, backwalls, and parapets of abutments.
Supplemental contract agreement	A written agreement between the engineer and contractor to pay for a particular bid item using the plan quantity rather than measure the actual quantity of work acceptably completed.
Surety	The company executing a contract bond with the contractor.
Surface course	One or more layers of a pavement structure, the top layer of which resists skidding, traffic abrasion, and the disintegrating effects of climate.
Traffic lane	The portion of a traveled way for the movement of a single line of vehicles.
Traveled way	The portion of the roadway for the movement of vehicles, exclusive of shoulders and auxiliary lanes.
Unacceptable work	Work that does not conform to the contract and results in a product that is insufficient to fulfill the needs of the project.
Unbalanced bid	See: materially unbalanced bid and mathematically unbalanced bid
US standard	The US standard measure system of units for english measure.
Work	The furnishing of all labor, materials, equipment, and incidentals and the performing of all tasks needed to complete the project or a specific part of the project as specified in the contract, together with fulfillment of all associated obligations and duties required by the contract.
Working day	A calendar day, except Saturdays, Sundays, department-specified holidays, and the period from November 16 to March 31, both dates inclusive, on which weather or other conditions not under the control of the contractor will allow construction operations to proceed for at least 8 hours of the day with the normal working force engaged in performing the controlling item of work which would be in progress at this time.